

Specifications

FRYSTIOCP / FRYSTIOMB ST.CROIX Single Handle Lavatory Faucet



FREDERICK
YORK

Beauty that flows

Product Features

- Solid brass body
- Max. flow rate 1.5 gpm @ 60 PSI
- Ceramic disc cartridge
- 1 hole installation
- Includes brass pop-up drain
- Meets ASME A112.18.1 / CSA B125.1
- NSF/ANSI 61 compliant
- cUPC/IAPMO listed
- EPA WaterSense approved
- Limited lifetime warranty in residential applications
- Limited 5-year warranty in industrial/ commercial applications



FRYSTIOCP
Polished Chrome



FRYSTIOMB
Matte Black



Spécifications

FRYSTIOCP / FRYSTIOMB
ST.CROIX

Robinet de Lavabo Monocommande



FREDERICK
YORK

Beauty that flows

Caractéristiques du produit

- Corps en laiton robuste
- Débit max de 1,5 gpm @ 60 PSI
- Cartouche en céramique
- Installation à 1 trou
- Inclut un drain escamotable en laiton
- Conforme aux normes ASME A112.18.1 / CSA B125.1
- Conforme à la norme NSF/ANSI 61
- Homologué cUPC/IAPMO
- Homologué EPA WaterSense
- Garantie à vie limitée pour applications résidentielles
- Garantie limitée de 5 ans pour les applications industrielles / commerciales



FRYSTIOCP
Chrome poli



FRYSTIOMB
Noir mat



Specifications/Spécifications

FRYSTIOCP / FRYSTIO MB



FREDERICK
YORK

Beauty that flows

